




TESARSKÉ OPRAVY DLE MYKOLÓG. PRŮZKUMU



OSHA	PRICE	PRICE	m	m ²	PSYCHROMETER	CON.	WATER/PSYCH.	PSYCH.	UNFURNISHED PRICE
ROBINE	150/150	150/150	12.0	0.12 m ²	150/150	K1	ROBINE STIMUL	150/150	data on order
WINDY	150/150	150/150	12.0	0.12 m ²	150/150	K2	ROBINE STIMUL	150/150	data on order
WINDY	80/200	80/200	9.0	0.9 m ²	150/150	K3	ROBINE STIMUL	150/150	data on order
HAZARDY	80/200	80/200	9.0	0.9 m ²	150/150	K4	ROBINE STIMUL	150/150	data on order
REINFORCED	204/200	204/200	8.4	8.4 m ² new, 100% old	150/150	K5	ROBINE STIMUL	150/150	data on order
U.F.T.	50/200	2989	4.0	4.0 m ²	150/150	K6	ROBINE STIMUL	150/150	data on order
CONCRETE	50/200	820	2.0	2.0 m ²	150/150	K7	REINFORCED	150/150	data on order
CONCRETE	50/200	875	0.4	0.4 m ²	150/150	K8	REINFORCED	150/150	data on order
						K9	REINFORCED	150/150	data on order
						K10	REINFORCED	150/150	data on order
						K11	REINFORCED	150/150	data on order
						K12	REINFORCED	150/150	data on order
						K13	REINFORCED	150/150	data on order
						K14	REINFORCED	150/150	data on order
						K15	REINFORCED	150/150	data on order
						K16	REINFORCED	150/150	data on order
						K17	REINFORCED	150/150	data on order
						K18	REINFORCED	150/150	data on order
						K19	REINFORCED	150/150	data on order
						K20	REINFORCED	150/150	data on order
						K21	REINFORCED	150/150	data on order
						K22	REINFORCED	150/150	data on order
						K23	REINFORCED	150/150	data on order
						K24	REINFORCED	150/150	data on order
						K25	REINFORCED	150/150	data on order
						K26	REINFORCED	150/150	data on order
						K27	REINFORCED	150/150	data on order
						K28	REINFORCED	150/150	data on order
						K29	REINFORCED	150/150	data on order
						K30	REINFORCED	150/150	data on order
						K31	REINFORCED	150/150	data on order
						K32	REINFORCED	150/150	data on order
						K33	REINFORCED	150/150	data on order
						K34	REINFORCED	150/150	data on order
						K35	REINFORCED	150/150	data on order
						K36	REINFORCED	150/150	data on order
						K37	REINFORCED	150/150	data on order
						K38	REINFORCED	150/150	data on order
						K39	REINFORCED	150/150	data on order
						K40	REINFORCED	150/150	data on order
						K41	REINFORCED	150/150	data on order
						K42	REINFORCED	150/150	data on order
						K43	REINFORCED	150/150	data on order
						K44	REINFORCED	150/150	data on order
						K45	REINFORCED	150/150	data on order
						K46	REINFORCED	150/150	data on order
						K47	REINFORCED	150/150	data on order
						K48	REINFORCED	150/150	data on order
						K49	REINFORCED	150/150	data on order
						K50	REINFORCED	150/150	data on order
						K51	REINFORCED	150/150	data on order
						K52	REINFORCED	150/150	data on order
						K53	REINFORCED	150/150	data on order
						K54	REINFORCED	150/150	data on order
						K55	REINFORCED	150/150	data on order
						K56	REINFORCED	150/150	data on order
						K57	REINFORCED	150/150	data on order
						K58	REINFORCED	150/150	data on order
						K59	REINFORCED	150/150	data on order
						K60	REINFORCED	150/150	data on order
						K61	REINFORCED	150/150	data on order
						K62	REINFORCED	150/150	data on order
						K63	REINFORCED	150/150	data on order
						K64	REINFORCED	150/150	data on order
						K65	REINFORCED	150/150	data on order
						K66	REINFORCED	150/150	data on order
						K67	REINFORCED	150/150	data on order
						K68	REINFORCED	150/150	data on order
						K69	REINFORCED	150/150	data on order
						K70	REINFORCED	150/150	data on order
						K71	REINFORCED	150/150	data on order
						K72	REINFORCED	150/150	data on order
						K73	REINFORCED	150/150	data on order
						K74	REINFORCED	150/150	data on order
						K75	REINFORCED	150/150	data on order
						K76	REINFORCED	150/150	data on order
						K77	REINFORCED	150/150	data on order
						K78	REINFORCED	150/150	data on order
						K79	REINFORCED	150/150	data on order
						K80	REINFORCED	150/150	data on order
						K81	REINFORCED	150/150	data on order
						K82	REINFORCED	150/150	data on order
						K83	REINFORCED	150/150	data on order
						K84	REINFORCED	150/150	data on order
						K85	REINFORCED	150/150	data on order
						K86	REINFORCED	150/150	data on order
						K87	REINFORCED	150/150	data on order
						K88	REINFORCED	150/150	data on order
						K89	REINFORCED	150/150	data on order
						K90	REINFORCED	150/150	data on order
						K91	REINFORCED	150/150	data on order
						K92	REINFORCED	150/150	data on order
						K93	REINFORCED	150/150	data on order
						K94	REINFORCED	150/150	data on order
						K95	REINFORCED	150/150	data on order
						K96	REINFORCED	150/150	data on order
						K97	REINFORCED	150/150	data on order
						K98	REINFORCED	150/150	data on order
						K99	REINFORCED	150/150	data on order
						K100	REINFORCED	150/150	data on order
						K101	REINFORCED	150/150	data on order
						K102	REINFORCED	150/150	data on order
						K103	REINFORCED	150/150	data on order
						K104	REINFORCED	150/150	data on order
						K105	REINFORCED	150/150	data on order
						K106	REINFORCED	150/150	data on order
						K107	REINFORCED	150/150	data on order
						K108	REINFORCED	150/150	data on order
						K109	REINFORCED	150/150	data on order
						K110	REINFORCED	150/150	data on order
						K111	REINFORCED	150/150	data on order
						K112	REINFORCED	150/150	data on order
						K113	REINFORCED	150/150	data on order
						K114	REINFORCED	150/150	data on order
						K115	REINFORCED	150/150	data on order
						K116	REINFORCED	150/150	data on order
						K117	REINFORCED	150/150	data on order
						K118	REINFORCED	150/150	data on order
						K119	REINFORCED	150/150	data on order
						K120	REINFORCED	150/150	data on order
						K121	REINFORCED	150/150	data on order
						K122	REINFORCED	150/150	data on order
						K123	REINFORCED	150/150	data on order
						K124	REINFORCED	150/150	data on order
						K125	REINFORCED	150/150	data on order
						K126	REINFORCED	150/150	data on order
						K127	REINFORCED	150/150	data on order
						K128	REINFORCED	150/150	data on order
						K129	REINFORCED	150/150	data on order
						K130	REINFORCED	150/150	data on order
						K131	REINFORCED	150/150	data on order
						K132	REINFORCED	150/150	data on order
						K133	REINFORCED	150/150	data on order
						K134	REINFORCED	150/150	data on order
						K135	REINFORCED	150/150	data on order
						K136	REINFORCED	150/150	data on order
						K137	REINFORCED	150/150	data on order
						K138	REINFORCED	150/150	data on order
						K139	REINFORCED	150/150	data on order
						K140	REINFORCED	150/150	data on order
						K141	REINFORCED	150/150	data on order
						K142	REINFORCED	150/150	data on order
						K143	REINFORCED	150/150	data on order
						K144	REINFORCED	150/150	data on order
						K145	REINFORCED	150/150	data on order
						K146	REINFORCED	150/150	data on order
						K147	REINFORCED	150/150	data on order
						K148	REINFORCED	150/150	data on order
						K149	REINFORCED	150/150	data on order
						K150	REINFORCED	150/150	data on order
						K151	REINFORCED	150/150	data on order
						K152	REINFORCED	150/150	data on order
						K153	REINFORCED	150/150	data on order
						K154	REINFORCED	150/150	data on order
						K155	REINFORCED	150/150	data on order
						K156	REINFORCED	150/150	data on order
						K157	REINFORCED	150/150	data on order
						K158	REINFORCED	150/150	data on order
						K159	REINFORCED	150/150	data on order
						K160	REINFORCED	150/150	data on order
						K161	REINFORCED	150/150	data on order
						K162	REINFORCED	150/150	data on order
						K163	REINFORCED	150/150	data on order
						K164	REINFORCED	150/150	data on order
						K165	REINFORCED	150/150	data on order
						K166	REINFORCED	150/150	data on order
						K167	REINFORCED	150/150	data on order
						K168	REINFORCED	150/150	data on order
						K169	REINFORCED	150/150	data on order
						K170	REINFORCED	150/150	data on order
						K171	REINFORCED	150/150	data on order
						K172	REINFORCED	150/150	data on order
						K173	REINFORCED	150/150	data on order
						K174	REINFORCED	150/150	data on order
						K175	REINFORCED	150/150	data on order
						K176	REINFORCED	150/150	data on order
						K177	REINFORCED	150/150	data on order
						K178	REINFORCED	150/150	data on order
						K179	REINFORCED	150/150	data on order
						K180	REINFORCED	150/150	data on order
						K181	REINFORCED	150/150	data on order
						K182	REINFORCED	150/150	data on order
						K183	REINFORCED	150/150	data on order
						K184	REINFORCED	150/150	data on order
						K185	REINFORCED	150/150	data on order
						K			

BEDNĚNÍ, PRŮKLA TL. 24 mm	537 m ²				
		V01	VAZNICE OKAPOVA	140/120	žlábek stěnové ve štítu
		V02	VAZNICE OKAPOVA	140/120	stěnové

- V TABULCE NEJSOU ZOHLEDNĚNY PROJEZDY A PŘESAHY

- VÝRIS MATERIÁLŮ PRO TESAŘSKÉ OPRAVY VZ STÁVNĚ KONSTRUKČNÍ ČÁSTI, VYKRES 01-2-04
- SKUTEČNÝ ROZSAH SAMAČICH PRACÍ BUDE UPŘESŇEN PO

ZHANG, Y. AND ZHANG, J. 2000. The effects of the 1997 El Niño on the zooplankton community in the Bohai Sea, China. *Journal of Plankton Research* 22:1111–1122.

B-

- PODKLADY PRO VYPRACOVÁNÍ PŘEDLOŽENÉ DOKUMENTACE "SKOKOVNA KINOV" – CELKOV

— ZAMĚŘENÍ STAVAJÍCÍHO STAVU, ZPRACOVATEL PRIMA DIK. DOODAVATELSKO- INŽENÝRSKÁ KANCELÁŘ spol. s r.o. NÁMĚSTÍ SVOBODY 879, 790 01 JESSEK, ZAKAZKA ČÍSLO 1723.

- VYMĚŇA OKEN - SAKULOVNA KIRKOV, ZPRACOVATEL Ing. DANIEL KOZE - DKL,
ŠTEPANKOVICKÁ 27, 747 21 KRAVARE, ZNALEKTA ČÍSLO 17/75, DATUM ČERVENEC 2015

- VSECHNY MOŽNE NEPREKŠNOSTI OBPALJENE VE IMENOVANICH PROJEKTECH JSOU PŘEHLESEN DO SOUČASNÉHO PROJEKTU.

- DE NIKLOSKOPICKO PROJEKCIU DREKATU PRIMO KROVU, VYKROVAVANEMU I NIKLOU DEKATU – KALUŽA č. 363/72, OSTRAVA – MICHALOVCE V RÁMCI 2019, BIL. STANO BEPNEHO JINAVY ROZSAH TESAŘSKÝCH OPRAV KROVU UČEŇE NÁSTAVBU STAVBYNÍCH PRACÍ

- KROV BUDE MECHANICKY OCHRÁNĚN OBROUŠENÍM POPEL. OTESLÁNÍM NÁPARNÝCH ČÁSTÍ. ZÁKLADOUSNÍ SOUBŮR VÍZ PRŮJEKTU (MADISON, PODROBNOSTI VÍZ VLASTNÍ PRŮJEKTOM.

- DODATKOWE WYMAGANIA DOT. STABILNOŚCI
- DLA STACJONARNO POSADZONYCH DRZEW DOPOŁATKOWE NOŻE KRÓWKOWE WYZNACZAJĄCE POZIOMYCIĘ
- STAWIĄCĄ KRAJNĄ KRÓWKOWE STREŻYCHY WOKRÓŁ BUDOWY ZE SPÓDNI STRONY ZIELENIENIA PRZELÓŻKĄ

- ТУАМ ВКРЕЊО БЛУД УПРАВЉЕНО ДО ПОЈАВЉИВАЊА ПРВОГ ОБИЈАВЉИВОГ РАВЕЊАТО

KE STAVBAJÚM KROKOV (V PŘÍPADĚ ČETNÝCH RÁMENŮ) KE STŘ. SÍŤOVÉMU SLoupKU) A NOVÝM DŘEVĚNÝM PRÁKOVÝM 80/120 MEZI KROKOVY V ROZTČETĚ 6 800 mm,

- NA VÝCHOZÍM STRANĚ BUDE V OBRUBI KONTAKTNI DO VZDÁLENOSTI 1,0 m OD OKAPU PROVEDENÍ MATEŘ. UMOŽŇUJÍCÍ PROVEDENÍ NÁSLEDNĚHO OTVORU DLE POŽADAVKŮ

SVOJÍM UMÍSTĚNÍM V ROZLIČNÝCH OBJEKTECH,

• SVĚTLA STŘEŠNÍ S PÁLENÍMI HLAVYMI KRYTOU Z ANODIZOVANÉHO KRYTÍ KTERÉ
FUNKČNĚ – INSEKTOVĚ PROSTŘEDKEM PROTI HOŘÁKŮM, PŮLSINĚ A DŘEVOKAZNÝM HMYZU

[illegible]

- **KEŠENÍ MARIŠKOVÉHO ŽLABU BUDE DEFINITIVNĚ OSOULUŠENO ČI UPRAVENO V RÁMCI A PO ODVRVTÍ STĚVACÍCH KONSTRUKCIÍ, TZN. PO ODSTRÁNĚNÍ PLECHOVÉ STŘEŠNÍ KRYTINY**

LEGENDA MATERIÁLŮ

STAVACI KONSTRUKCE ŽB NEBO ŽDŽNE

El 60 VE SZOZTANI (TYP W12):
= OPALSTEN SOK DESKANI 2 x 12,5 mm

- TEPELNÁ A ZVUKOVÁ IZOLACE 80 mm
(teplota po ohřevu Al, objem hmot. 15-40 kg/m²)

- OPALSTEN SKK DESKANI 2 x 12,5 mm

NOVÉ KONSTRUKCE A PRÁVY VŠEOBECNĚ

TVAROVÉ KOPE Vnitřních dveří a prosklených stěn

TVAROVÉ KOPIE DŘEVĚNÝCH ŠPALETOVÝCH OKEN A

2013 (zpracovával DkI Ing. Daniel Kozel, Křivčovice)

+333

VÝŠKOVÝ SYSTÉM

ING. ARCH. TOMÁŠ ŠONOVSKÝ

ARCHITECTS: MCMILLIN, COITZ & GIBBY, 710 50 OGDEN AVE., WWW.ARCHITECT-SOLUTIONS.CO, DC: 1-800-891-8610/442-728

SOKOLOVNA KRNOV

ING. ARCH. TOMAŠ ŠONOVSKÝ, GEN. Píky 2888/6, 701 00 OSTRAVA 1

Q1550116	Q1550117	Q1550118
Q1550116	Q1550117	Q1550118

Číslo	D.1.1 - ARCHITEKTONICKO - STAVEBNÍ ŘEŠENÍ	Číslo
Číslo		Číslo

KAPITOL 4. NP / KROV - nový stav
 05 - 2019